Annual Report for 1969

The staff of the Eye Clinic consists of a part-time ophthalmologist and a part-time secretary. At the end of 1969 another part-time secretary was allotted to the clinic. The expenses are met by the Danish Government on the budget of the Danish National Service for the Mentally Retarded.

In 1969, 444 consultations were given to a total of 321 patients. This is an increase in the number of consultations by 14 per cent and in the number of patients by 8 per cent as compared with 1968. During the same period, the waiting list increased from 96 to 224 patients and the list for check-up examinations, which at the end of 1968 comprised 140 patients, had increased to 157 by the end of 1969. The total number of patients on the waiting and check-up lists now exceeds the number of patients who can be seen during 1970 by the present staff. Acute ophthalmological and neurological cases will be seen without delay, and patients admitted to the Mental Retardation Institutions in Copenhagen for clinical evaluation will be examined with minimum waiting time as ophthalmological examination of such patients is an integral part of the diagnostic schedule of the institutions.

Classification of Diseases

The patients seen are grouped according to the WHO Classification of Diseases. Only principal diagnoses are given. If a patient has several co-existing diseases, the ocular disorder leading to the most extensive change in the morphology of the eyes is regarded as the principal diagnosis, even if the patient is referred to the clinic for treatment of a more trivial disorder.

Registration of Blindness and Low Vision

The registration is continued according to the classification approved by the International Association for the Prevention of Blindness. Each case is listed only once, namely in the year when the first examination took place. If it is

demonstrated by a later examination that the visual acuity is over 6/60 in either eye, the patient is taken off the register of blind patients, and if better than 6/18, he is removed from the list of partially sighted. In this way, the register tends to decrease slightly as compared with the first entries.

During the three years we have worked in the clinic, the number of new cases of blindness diagnosed decreased, while the corresponding figures for partially sighted patients appearing seem to be fairly constant (see table). This suggests that the staffs in the institutions and kindergartens have found and referred most of the blind patients to us, and that it is very difficult for the ward personnel and teachers to disclose low vision in the individuals concerned.

New cases of blindness and low vision diagnosed in 1967-1969.

| Year | Blindness | Low vision |
|------|-----------|------------|
| 1967 | 26 | 27 |
| 1968 | 15 | 20 |
| 1969 | 11 | 27 |

Research in Progress

From the Research Foundation for the Danish National Service for the Mentally Retarded, the Eye Clinic has obtained a grant for a research on the total number of blind and partially sighted persons in Danish institutions for the mentally retarded. This work is in progress. The tracing of the patients is facilitated by notifications from the institutions in question and by collaboration with the educational advisers from the National Institute for the Blind and Partially Sighted (non-retarded) which began in 1967.

Collection of Slides

The collection comprises 573 slides of pathological features of the eyes of the mentally retarded.

Cumulative Reviews on Mental Retardation

Collaboration has been established with Dr. M. Mikkelsen and Dr. E. Niebuhr, of the Kennedy Institute, with Dr. B. Beck, of the Department of Paediatrics,

University Hospital, Copenhagen, and with Mr. B. Russel, Dental Surgeon of the Children's Hospital, Vangede, Copenhagen, for the purpose of publishing a number of brief illustrated reviews of diseases or syndromes in the mentally retarded. The Danish medical weekly *Ugeskrift for Læger* has kindly offered to publish the reviews.

Papers and Publications

In 1969, Dr. M. Warburg was invited to read papers at the Second Conference on the Clinical Delineation of Birth Defects in Baltimore, at the Alumni Reunion Meeting held at the Department of Ophthalmology, University of Pennsylvania, and at the Eleventh World Congress of the International Society for the Rehabilitation of the Disabled in Dublin.

The following papers were presented in 1969:

Microphthalmia in the Mentally Retarded. Alumni Reunion Meeting.

Norrie's Disease. Sec. Conf. Clin. Delineation of Birth Defects.

Differential Diagnoses of Senile Macular Degenerations. Danish Ophthalmology Society.

Focal Dermal Hypoplasia. Third International Conference on Cong. Malform., the Hague.

Tracing and Training of Blind and Partially Sighted Persons in Institutions for the Mentally Retarded. Eleventh World Congr. Intern. Soc. Rehab. Disabled.

Instruction lectures were also given to nurse trainees at the National Danish Service for the Mentally Retarded, to a teachers' postgraduate training course and to a medical postgraduate couse on mental retardation.

Three of the above-mentioned papers have been submitted for publication. One paper has been published:

Mette Warburg: An Immobilising Cortact Lens. Acta Ophth. 47: 781: 1969.

METTE WARBURG, M. D. Consultant Ophthalmologist

BIRTE LINELL Secretary KIRSTEN RATHSACH Secretary

WHO International Classification of Diseases

| Abbrevi | ations: | | | | А | ge | Age | | | | |
|--|---|---|--------|---|-------|------------------|-----|---|--|--|--|
| B, boys: G, girls | | | 0-14 | | 15-69 | | 70- | | | | |
| | | | | G | M | W | М | W | | | |
| 02. Syp | hilis ci | ım sequelis | 2 | | | | | | | | |
| 02. 02 | 0. 0. | Keratitis parenchymatosa syphilitica | | | | 1 | | | | | |
| 16. Nea | plasmo | ı benigna | | | | | | | | | |
| 16. 22. | 3. | Neoplasma benign. oculi | | | | 1 | | | | | |
| 30. Mo. | rbi infl | ammatorii oculi | | | | | | | | | |
| 30. 37 30. 37 30. 37 30. 37 30. 37 30. 37 30. 37 | 0. 10. 0. 30. 1. 2. 1. 5. 40. 8. 30. | Keratoconjunctivitis sicea Blepharitis Abscessus palpebrae Chorioiditidis seq. | 1 1 | 1 | 1 | 2 1 1 3 | | 1 | | | |
| 31. An | omalia | refractionis | | | | | | | | | |
| 31. 38 | 0. 0. | Anisometropia | 2 | | | | | | | | |
| 31. 38 | 0. 10. | Astigmatismus | 3 | | 3 | 4 | | | | | |
| 31. 38 | 0. 30. | ** | 12 | 7 | 15 | 9 | 3 | | | | |
| 31. 38 | 0. 40. | Hypermetropia excessiva $(\geq +5)$ | 1 | 2 | 3 | 5 | | | | | |
| 31. 38 | 0. 50 | | 2 | 1 | 2 | 4 | | | | | |
| 31. 38 | 0. 60 | | 5 | 3 | 7 | 12 | | | | | |
| 31. 38 | 0. 70 | | | | 1 | 4 | | | | | |
| 31. 384 | . Stral | pismus | | | | | | | | | |
| 31. 38 | 34. 10 | . Amblyopia ex anopsia strabotica | | | | 1 | | | | | |
| 31. 38 | 34. 30 | | 1 | 1 | | 1 | | | | | |
| | 34. 31 | A | 14 | 7 | 2 | 2 | | | | | |
| | 34. 32 | • | 5 | 2 | 2 | 1 | | | | | |
| | 84. 40 | * | 1 | 1 | 1 | 1 | | | | | |
| | 84. 41 | | 1 | | | 2 | | | | | |
| | 84. 42 | * | 2 | 1 | 1 | 5 | 1 | | | | |

WHO International Classification of Diseases

| | | | | | | Λ | ge | | | | | | |
|------------|---------------|----------------|--|----|------------|-----|------------|-----|------------|--|----|-----|--|
| | | | , | 0- | 0-14 15-69 | | 0-14 15-69 | | 0-14 15-69 | | 70 | 70- | |
| | | | | В | G | M | W | M | W | | | | |
| 31. | 384. | 80. | Ophthalmoplegia | | | *** | | 1 | • • • | | | | |
| | | | int. et ext. | | | 2 | | | | | | | |
| 31. | 384. | 90. | Paresis n. abducentis | 1 | | | | | | | | | |
| 31. 3 | 385. C | Tatare | acta | | | | | | | | | | |
| 31. | 385. | 10. | Cataracta senilis | | | 1 | | | 2 | | | | |
| 31. | 385. | 20. | Cataracta complicata | | | | 1 | | | | | | |
| 31. | 386. | _0. | Ablatio retinae + ruptura | | | | | | | | | | |
| 51. | 500. | | retinae | | | 1 | | | | | | | |
| 31. | 387. | 40. | Glaucoma simplex | | | | | 1 | | | | | |
| 31. 3 | 388. <i>A</i> | 1 <i>1ii n</i> | uorbi oculi | | | | | | | | | | |
| | 388. | 07. | | | | | 1 | | | | | | |
| 31. | | 07. | Lagophthalmus | | | 4 | 1 | | | | | | |
| 31. | 388. | 08. | Ptosis palpebrae non congenita | | | 4 | | | | | | | |
| 0.1 | 388. | 32. | Keratoconus | 1 | | 1 | 1 | | | | | | |
| 31. 31. | 388. | 51. | Opacitates corporis vitrei | 1 | | 1 | 1 | 1 | | | | | |
| 31. | 388. | 72. | - | 12 | 8 | 3 | 6 | 1 1 | | | | | |
| 31. | 388. | 76. | Atrophia n. optici Fibroplasia retrolentalis | 1 | | J | U | | | | | | |
| 31. | 388. | 77. | Oedema papillae n. opt. | 1 | 1 | | | | | | | | |
| 31. | 389. | 11. | Amaurosis | 1 | 1 | | | | | | | | |
| 31. | 209. | | Alliquiosis | 1 | | | | | | | | | |
| 44. | 453. | 03. | Tortuositas vasorum | 1 | | | | | | | | | |
| 86. 4 | Malfo | rmati | ones congenitae | | | | | | | | | | |
| 86. | 753. | 00. | Cataracta congenita | 3 | 2 | 1 | 4 | | | | | | |
| 86. | 753. | 19. | Ptosis palpebrae | 1 | | | | | | | | | |
| 86. | 753. | 30. | Cystis dermoides | _ | | | | | | | | | |
| | | 0., | corneo-scleralis | 1 | | | | | | | | | |
| 86. | 753. | 34. | Keratoglobus | | | 1 | | | | | | | |
| 86. | 753. | 43. | Coloboma irides, | | | | | Į. | | | | | |
| | | | chorioideae | 2 | 1 | | | Î | | | | | |
| 86. | 753. | 55. | Corpus vitr. prim. | | _ | | | | | | | | |
| | | | persistens | | | 1 | | | | | | | |
| 86. | 753. | 60. | Retina, nervus opticus | | | 1 | | | | | | | |
| 86. | 753. | 65. | Degeneratio macularis | 2 | | | | | | | | | |
| 86. | 753. | 66. | Degeneratio tapetoretinalis | | 1 | | 1 | | | | | | |
| 86. | 753. | 76. | Microphthalmus | 1 | 1 | | 1 | | | | | | |
| 86. | 758. | 20. | Hypertelorismus | 1 | i | | | | | | | | |
| 86. | 758. | 22. | Franceschetti syndrome | | | 1 | | | | | | | |

(Cont.)

WHO International Classification of Diseases

| | | | A | ge | | |
|---|------|----|-------|----|----|---|
| | 0-14 | | 15-69 | | 7(| 0 |
| | В | G | М | W | М | W |
| 87. Laesiones in partu, asphyxia, infectiones neonatorum | | | | | | |
| 87. 769. 30. Toxoplasmosis congenita, immaturitate non indicata | | | | 1 | | |
| 86. 769. 80. Toxoplasmosis congenita, immaturitate indicata | 1 | | | | | |
| 88. Symptomata, senilitas, casns male definiti | | | | | | |
| 88. 781. 30. Hemianopsia homonyma | | | 2 | | | |
| 88. 781. 15. Nystagmus | 2 | 1 | 1 | | | |
| 88. 781. 151. Nystagmus latens | | 1 | 1 | 3 | | |
| 88. 781. 153. Nystagmus rotatorius | 1 | | | | | |
| 88. 793. 03. Observatio | 1 | | | | | |
| Y. Casus speciales, examinationes sine morbo | | | | | | |
| Y. 09. Persona sine symptomati morbi | 18 | 12 | 12 | 4 | | |

Classifications of Causes of Blindness

| | | | | | А | ge | | |
|----------------|---|--------------|--------|---------|---|----|----|----|
| I. By 2 | Aetiology · | | 0- | 0-14 15 | | 69 | 70 |)_ |
| Infecti | ous diseases | | В | G | M | W | М | W |
| 14.0 | Meningitis | 1967 | 1 | | | | | |
| 23.0 | Rubella | 1967 | | 1 | | | | |
| | | 1969 | 1 | | | | | |
| 25.1 | Toxoplasmosis prenatal | 1967 | 2 | | | | | |
| | | 1968 | 1 | | | | | |
| 1 anida | nts, poisoning, violence | 1969 | 1 | | | | | |
| | | | | | | | | |
| 46.0 | Surgical or medical | 1067 | , | | | | | |
| 46.15 | procedure | 1967 1967 | 1 1 | | | 1 | | |
| 49.0 | Dysozygenation External cause not specified | 1968 | 1 | | | 1 | | |
| 45.0 | External cause not specified | 1500 | 1 | | | | | |
| Genera | d diseases not elsewhere classif | ied | | | | | | |
| 65.8 | Other disorders of central | | | | | | | |
| | nervous system specified | 1967 | 1 | 1 | | | | |
| | | 1968 | 2 | | | | | |
| 65.9 | Disorder of central nervous | | | | | | | |
| | system not specified | 1967 | 1 | | | | | |
| | | 1968 | 1 | 1 | 1 | | | |
| | | 1969 | 1 | | | | | |
| Prenate | al influence not elsewhere class | ified | | | | | | |
| 81.0 | Genetic origin established | 1968 | 1 | | | | | |
| | | 1969 | | | 1 | | | |
| 82.0 | Genetic origin probable | 1969 | 1 | | | | | |
| 88.0 | Other prenatal influence not | | | | | | | |
| | elsewhere classified, specified | 1: | | | | | | |
| 88.10 | Central nervous system | 1967 | 2 | 2 | | | | |
| | | 1968 | | 1 | | | | |
| 00 00 | Characterist | 1969 | 2 | | | | | |
| 88.20 88.40 | Chromosomal | 1967 | , | | 1 | | | |
| 00.40 | Syndromes | 1967 1969 | 1 | | | 1 | | |
| 89.0 | Prenatal influence not | 1909 | | | | 1 | | |
| _0.5 | specified | 1967 | 6 | 1 | | | | |
| | 1 | 1968 | 1 | • | | | | |
| 91.0 | Unknown to science | 1967 | | 2 | 1 | | | |
| | | 1968 | | | 2 | 1 | 1 | |
| | | 1969 | | | 1 | | | 1 |
| 98.0 | Evidence insufficient for | | | | | | | |
| | diagnosis | 1968 | | | | | l | |
| | | | | | | | | - |
| | | Total | 29 | 9 | 7 | 3 | 2 | 1 |

Classifications of Causes of Blindness

| | | | | | A | ge | • | |
|-----------------------|---------------------------------------|-------|------|---|-------|----|-----|---|
| II. By | Site and Type of Affection | | 0-14 | | 15-69 | | 70- | |
| | | | В | G | M | W | M | W |
| Evebali | l in general | | | | | | | |
| 122 | Myopia, detachment of | | | | | | | |
| | retina not specified | 1967 | | | 1 | | | |
| | · · · · · · · · · · · · · · · · · · · | 1968 | | | 2 | 1 | | |
| 144 | Microphthalmia | 1969 | 1 | | | 1 | | |
| Cornea | | | | | | | | |
| С <i>отиеа</i> 370 | Keratoconus | 1967 | | | 1 | | | |
| 370 | Relativemas | | | | | | | |
| Leus | | 1067 | 0 | 9 | | | | |
| 410 | Cataract | 1967 | 3 | 2 | | | 1 | |
| | | 1968 | , | | , | | 1 | |
| | | 1969 | 1 | | 1 | | | 1 |
| Uveal i | | | | | | | | |
| 560 | Chorioretinitis | 1967 | 1 | | | | | |
| | | 1968 | 1 | | | | | |
| Retina | | | | | | | | |
| 630 | Retrolental fibroplasia | 1967 | 1 | | | 1 | | |
| 650 | Tapetoretinal degeneration | | | | | | | |
| | and allied conditions | | | | | | | |
| | including retinitis | | | | 1 | | | |
| | pigmentosa | 1967 | | 1 | | | | |
| 660 | Macular degeneration | 1967 | 1 | | | | | |
| | | 1969 | 1 | | | | | |
| Optic n | nerve, optic pathways, and | | | | | | | |
| cortical | visual centres | | | | | | | |
| 710 | Optic nerve atrophy | 1967 | 6 | 3 | | | | |
| | • • • | 1968 | 4 | 1 | | | 1 | |
| | | 1969 | 3 | | | | | |
| 750 | Lesion of optic pathway or | | | | | | | |
| | cortical visual centre | 1967 | 1 | 1 | | | | |
| | | 1968 | - | 1 | 1 | | | |
| Vitreou | 15 | 1000 | | • | | | | |
| 880 | Other affection of vitreous | | | | | | | |
| | specified | 1968 | 1 | | | | | |
| | | 1969 | | | 1 | | | |
| | | | | | | | | |
| | d type indefinite or not report | | | | | | | |
| 945 | Amplyopia uni- or bilateral | , | | | | | | |
| | not explained | 1967 | 2 | | | | | |
| | | 1969 | 1 | | | | | |
| 950 | Congenital nystagmus | 1967 | 1 | 1 | | | | |
| | | Total | 29 | 9 | 7 | 3 | 2 | 1 |

Classifications of Causes of Low Vision

| | | | | | Aį | ge | | |
|----------------|-----------------------------------|----------|------|----|-------|----|-----|---|
| I. By A | Actiology | , | 0-14 | | 15-69 | | 70- | |
| Infection | ous diseases | | В | G | М | W | М | W |
| 25.1 | Toxoplasmosis prenatal | 1967 | | | 1 | 1 | | |
| | | 1969 | 1 | | | | | |
| 29.0 | Infectious disease, not specified | 1969 | | | | 1 | | |
| Accide | nts. poisoning, violence | | | | | | | |
| 45.0 | Birth Process | 1967 | 2 | | 1 | 1 | | |
| | | 1968 | | | | 1 | | |
| C | l discases not elsewhere classi | iliad | | | | | | |
| Genera 65.8 | Other disorder of central |) ieu | | | | | | |
| 03.8 | nervous system specified | 1967 | | 1 | | | | |
| | nervous system specified | 1968 | I | • | | | | |
| | | 1969 | · | | 1 | | | |
| 65.9 | Disorder of central nervous | 1 | | | _ | | | |
| 00.0 | system, not specified | 1969 | | | | 1 | | |
| | | | | | | | | |
| Prenate | al influence not elsewhere cl | assified | | | | | | |
| 81.0 | Genetic origin established | 1967 | | 1 | | | | |
| | | 1968 | | | | 1 | | |
| | | 1969 | | | | 1 | | |
| 82.0 | Genetic origin probable | 1967 | 1 | | | | | |
| 88.0 | Other prenatal influence | | | | | | | |
| | not elsewhere classified, | | | | | | | |
| 88.10 | specified: Central nervous system | 1967 | 3 | 3 | | | | |
| 00.10 | Central hervous system | 1968 | 1 | J | | | | |
| | | 1969 | 1 | | | 1 | | |
| 88.20 | Chromosomal | 1967 | 1 | | | 1 | | |
| | | 1968 | | 1 | | | | |
| | | 1969 | | | | 2 | | |
| 88.40 | Syndromes | 1967 | | | 1 | | | |
| 89.0 | Prenatal influence not | | | | | | | |
| | specified | 1967 | 2 | 1 | | | | |
| | | 1968 | 1 | | 1 | 1 | | |
| 0 | ** . | 1969 | 2 | 4 | 2 | | | |
| 91.0 | Unknown to science | 1967 | 2 | | 2 | 2 | 1 | 1 |
| | | 1968 | 2 | | 1 2 | 6 | 1 | |
| 98.0 | Evidence insufficient for | 1969 | | | 2 | 0 | 1 | |
| 90.0 | diagnosis | 1968 | | | | 1 | | 1 |
| | aragnosis | 1969 | | | 1 | 1 | | 1 |
| | | 1000 | | | | | | |
| | | Total | 18 | 11 | 13 | 27 | 3 | 2 |

Classifications of Causes of Low Vision

| | | | | | А | ge | | |
|----------|---------------------------------|--------------|------|-----|-------|--------|-----|---|
| II. By | Site and Type of Affection | | 0-14 | | 15-69 | | 70- | |
| Eyebali | l in general | | В | G | M | W | M | W |
| 110 | Glaucoma excluding infantile | 1969 | | | | | 1 | |
| 121 | Myopia with detachment of | | | | | | | |
| | retina | 1969 | | | 1 | | | |
| 122 | Myopia, detachment of | 1007 | 4 | , | | | | |
| | retina not specified | 1967 | 1 | | 2 | 4 | , | |
| | | 1968 1969 | 2 | 1 | 2 | 3 4 | 1 | |
| 144 | Microphthalmia | 1967 | | 1 | 1 | 1 | | |
| 144 | Microphinanina | 1968 | | | | 1 | | |
| 145 | Aniridia | 1967 | | 1 | | 1 | | |
| 146 | Coloboma, any part, | | | _ | | | | |
| | excluding surgical | 1967 | | 1 | | | | |
| | | 1969 | 1 | | | | | |
| 180 | Other general affection of | | | | | | | |
| | eyeball specified | 1969 | | | 1 | | | |
| Cornea | | | | | | | | |
| 319 | Keratitis, other type specified | 1968 | | | | 1 | | 1 |
| 370 | Keratoconus | 1968 | | | | 1 | | • |
| Lens | | | | | | | | |
| 410 | Cotons | | | | | | | |
| 410.10 | Cataract: Congenital cataract | 1007 | | | | | | |
| 110.10 | Congenital cataract | 1967 1968 | | | | , | 1 | 1 |
| | | 1969 | | | | 1 3 | | |
| | | 1505 | | | | J , | | |
| Uveal i | • | | | | | | | |
| 560 | Chorioretinitis | 1969 | 1 | | | 1 | | |
| Retina | | | | | | | | |
| 650 | Tapetoretinal degeneration | | | | | | | |
| | and allied conditions includ- | | | | | - | | |
| | ing retinitis pigmentosa | 1967 | | 1 | 1 | | | |
| | C restriction | 1969 | | _ ^ | 1 | 1 | | |
| 560 | Macular degeneration | 1967 | 1 | | | | | |
| Oblic r | nerve, optic pathway, and | | | | | | | |
| cortical | visual centres | | | | | | | |
| 710 | Optic nerve atrophy, optic | | | | | | | |
| | neuritis or papiloedema | 1967 | 5 | 1 | 1 | 1 | | |

Classifications of Causes of Low Vision

| | II D C'4 - 1 T f Aff (| | | | A | ge | | |
|--------|---|-------|------|----|-------|----|-----|---|
| п. ву | 7 Site and Type of Affection (cont.) | | 0-14 | | 15-69 | | 70- | |
| | | | В | G | М | W | M | W |
| | | 1968 | 2 | 1 | | 2 | | |
| | | 1969 | 1 | 2 | 1 | 3 | | |
| 740 | Affection of optic nerve, not specified | 1967 | 1 | | | | | |
| 750 | Lesion of optic pathway or | | | | | | | |
| | cortical visual centre | 1967 | | 1 | | | | |
| | | 1969 | | 1 | | | | |
| Site a | nd type indefinite or not report | ted | | | | | | |
| 945 | Amblyopia uni- or bilateral | | | | | | | |
| | not explained | 1969 | | | 2 | | | |
| 950 | Congenital nystagmus | 1967 | 1 | 1 | 1 | | | |
| | • | 1968 | 1 | | | 1 | | |
| | | 1969 | 1 | | | | | |
| | | Total | 18 | 11 | 13 | 27 | 3 | 2 |

Printed in Denmark
by Bogtrykkeriet Forum
Copenhagen